

Pear
South
beams

Flowers
I.
MAY - 5th 1967


F C THOMPSON


South EAST
Island - P+H

Sooty Tern

Returns

757-24357





71-
171594

773
19046 ✓

913
58252 ✓
~~40444~~ ✓

7
SAME BIRD
FCT
753-44452
44562 } Same Bird

44651	53	42284
43733	43874	42487
44730	44284	44581
	42113	44359
24357	44406	42365
	44334	43524
	44724	44656
	44552	43619
	43589	42465
	42010	43892
	44668	42222
	44791	43542
[?] 44002		44452
43803		44562
42070		44243
44003		44116
44808		44208
44474 44074		44580
42010		42006
16049		44860
44311		

	723
64397	63751
63866	64372
64734	34015
63848	63515
64674	64318
64231	64113
64696	63843
64424	64074
63508	64815
64822	64087
64580	64027
64483	64226
	64211
	64934
	64354
	63874
	64426
	64421
	64472
	63798

SAME BIRD

46

43

44

23

000

7530-222-0078
FEDERAL SUPPLY SERVICE

Memoranda

L. isianahi

2 June 1967

R. L. DeLong

Box #1

✓ ADP
DONE
CPT

~~943-95501-9600~~

~~46501-4900~~

Never used a dating stamp.

3 June

Bands issued:

943 - 97001 - 9800

705 - 13801 (

Not used this date.

3 June

BFB - Rechecking #
found up

61 - 4 ^{5dy} ~~dy~~

✓ 60 - 1 ^{5dy} ~~dy~~ Rority

57 - 5 Ad. - Rority

56 ♀ P - Ror R.

55 - 5 ^{5dy} ~~dy~~ - ♀

54 - LDy

53 - LDy

63 - LDy

41 ♀ w sdy

65 -

50 -

✓ADP

BFB. - Return 2 June

767-4164K & MDY ✓

757-27850 7 1/2c ✓

2 June
Blue lined booky ✓ADP

wie wze wny
1 ~~||||~~ ||| ||| |||
[1] [10] [8]

737-30534 ♀ E MDY ✓

WSDy WMDy WLDy
~~||||~~ || |||| ||||
[7] [20] [24]

Rusty C/L - (25) - 10

587-80273 ♀ ✓ E NY

757-27802 ♂ ✓

757-27815 ♀ ✓ E SDY

587-80284 ♂ ✓

Red footed booky ✓ADP

3,2,3 [53]
5 W/1E W/ny [50] MDY
||| ~~||||~~ ||| ||| -15,1,1 ~~||||~~ |||
6,4 ~~||||~~ ~~||||~~ |||, 6,10,5,3 ||| ||| [18]
New York - not completed ||| [5]

LDy [5]	SDy [3]
-------------------	------------

757-27768 W/ny - Lis - oct 65
757-27912 W/SDy - " oct 66

Great Frigate

w/ie	w/dy	w/ny
HHI	III	II
[5]	[3]	[2]
mdy		
II		
[2]		

Black Noddy

w/ie	crsty	Roosts
HHH HHH	LHHH	20
HHH HHH	I [II]	20
[21]		15
w		[55]
sdg	mdy	
HHH HHH	HHH	
[11]	[6]	

Fairy Tern

w/ie	w/mdy
HHH	I
[6]	[1]

Brown Noddy

W/e

W/e empty nest.

||||

|||| |||| ||||

|||| ||||

[15]

|||| ||||

|||| ||||

|||| ||||

|||| ||||

|||| ||||

|||| ||||

|||| ||||

|||| ||||

|||| ||||

|||| ||||

|||| ||||

[12]

Brown Booby

Lay Sun Photo

C. Lark

A

|||||

|||||

||||, 14, 37, 18,

|||| | ||| ||||

75, 102, 90, 50

||| | ||| ||||

77, 50, 127, 77

||| |||

65

21

77

127

50

77

75

102

90

50

18

37

14

20

637

Wedge Tail Shear

645-06 381 ✓ H place

Black frosted Albutin

Chloro 3, 4, 2, 1, 2, 8, 8, 15
34, 30, 52, 20, 55, 15, 35, 33

110

418

A. - 25, 40

65 +

2

67

35

15

55

20

52

30

34

110

418

RTTB

W/12

empty and

111

111

12

11

C-Islem - 4

Shorebirds

RT - 14 - 40 - 15 - 8 - 32 - 22

50

174

NR - 6 - 4 - 2 - 4 - 11 - 15

42

BTCI. 6, 8, 3, 2, 8

27

✓ ADP

3 June

Fairy Tern
NON-POBSP

682-46193 ✓

662-06112

682-46212 ✓ 4/12

5 June BFA

✓ 757- 33 401-500 BFA

✓ 333-1-400

BEP

Culmen Length

1)	96.2	97.3
2)	96.9	95.2
3)	103.0	92.8
4)	99.6	99.2
5)	106.3	96.7
6)	95.4	90.1
7)	102.100.2	102.4
8)	106.8	93.9
9)	98.0	90.5
10)	106.5	94.9
11)	87.5	88.9
12)	95.3	
13)	96.0	
14)	106.9	
15)	99.0	
16)	106.8	
17)	88.9	
18)	94.5	
19)	99.1	
20)	91.7	

Long - Culm Long

1)	94.8	106.9
2)	105.5	106.3
3)	98.5	98.8
4)	103.0	101.5
5)	96.4	108.7
6)	104.9	92.9
7)	104.6	96.4 97.2
8)	104.0	96.2
9)	105.0	103.3
10	98.1	95.5
11	107.8	104.5
12	103.9	
13)	94.7	
14)	102.9	
15)	104.5	
16)	105.8	
17)	95.5	
18)	99.0	
19)	102.9	
20)	103.7	

	Great Length	Frigate eggs Width			
1	72.1	49.1	16	69.2	48.4
2	71.2	47.6	17	70.1	48.3
3	70.6	48.6	18	66.7	45.6
4	70.8	48.3	19	71.3	47.4
5	69.2	45.2	20	68.3	46.5
6	73.6	46.6	21	68.3	48.5
7	72.9	48.5	22	66.1	46.8
8	72.4	49.8	23	65.7	50.8
9	68.7	49.2	24	74.0	49.1
10	72.0	47.7	25	69.4	46.5
11	74.3	50.9	26	72.1	50.1
12	67.9	46.7	27	75.0	48.5
13	69.4	48.7	28	74.2	47.8
14	71.0	47.9	29	73.9	48.3
15	71.2	47.2	30	71.6	49.7
			31	73.6	49.3
			32	71.5	46.2
36	70.3	51.2	33	75.2	50.4
			34	68.8	47.8
			35	73.5	49.4

pipped

pipped

Measurements


Red-footed Booby egg


Length	width		
61.9	37.7	65.5	40.3
64.2	38.2	59.2	44.2
63.8	42.5	66.2	49.7
69.9	43.7	57.4	37.9
61.9	41.1	59.2	42.8
64.9	42.3	59.3	39.0
54.8	54.8	63.7	40.6
59.8	40.3	68.9	41.4
67.8	42.1	61.1	41.1
59.2	38.5	60.8	41.3
58.8	49.7	61.5	39.8
62.9	40.9	65.3	43.1
57.5	40.0	60.1	42.5
67.0	38.6	64.2	39.7
62.2	40.2	63.9	39.4
61.3	40.5	67.7	40.9
	Pipped	60.7	39.4
		64.4	40.3
		62.5	39.40.0

~~Add to all
Measurements~~

Sooty Tern Egg

Length	width	Length	width
53.6	34.9	47.9	37.2
52.2	37.1	49.2	35.7
52.2	35.9	53.4	36.3
47.8	35.8	49.7	33.0
49.1	36.1	54.5	35.6
48.1	36.1	53.6	37.4
54.1	35.6	50.9	35.5
50.3	35.9	54.0	36.0
50.7	35.9	53.5	36.3
50.7	35.3	50.7 49.7	35.6
47.5	37.3	55.5	36.9
51.3	34.3	52.7	33.7
51.8	36.4	50.9	35.2
53.2	35.7	50.0	35.3
51.5	35.5	53.2	36.3





Sooty Tern

✓ADP

943-14740 OE ✓

-19566 OE ✓

✓ADP

Red-footed Booby

✓57-27979 ~~ENC~~

Red tailed tropic birds:

are nesting & presently most w/e-
under the Scaevola. Densities seem

highest on the perimeter of the island,

but nearly each sizable patch

of Scaev. on the interior of the island
also has a tropic bird nesting

under it. The research does

not extend to the ^{central portion} interior of the

island in any densities; therefore

the tropic birds are generally limited

to a perimeter - 2-5 hundred yards

wide around the island. They nest

alone, beside common Noddy, Laysan

frigate and L & B. The low

intensity of light seems to increase

Determine nest position.
 The associations with boobies and
 frigates are in some cases very
 close. One tropic bird was found
 nesting about a foot below the frigate
 nesting in a low Scaevola.

The frigates and red-foots
 are closely associated in nesting
 colonies in the large scaevola stands.

Sooty Terns - 59 min

✓ ADP

943

703

193418 ✓

95848 ✓


00701 ✓


12005 ✓

06549 ✓

05316 ✓

96354 ✓







w/ndy

7536
FEDERAL

LISIANSKI

LS 19

JUNE 1967

DELONG


Seals:

Lisianski

49 m

R L Behong

✓ ADP
DONE



#9 June 0900-1130

Seals:

Pups ♀ B.

||||

(5) ✓

Pups ♂ B.

|||

(3)

Silver

|||

Pups yearlings ✓

Silver

1 yearling pups

101 type

(yr. ♀

|||||

(8) ✓

yr. ♂

|||

(4) ✓

Pup unknown

1

(1)

A ♀

|||||

x6 with pups

|||||

(21) ✓

Sad ♀

♀

|||||

(7) ✓

A ♂

|||||

||||| (22) ✓

Sad ♂

|||||

(9) ✓

A u.

|||||

(6) ✓

Small-yr - unk.

|||||

Ad ♂ ♀ Pared.

|||||

(15)

A ♀ w/ pup: 1111

1) pup ♂ 107 Very fat

2) pup ♀ 108 "

3) pup ♀ 109 Smaller (most)

4) " ♂ 110 Very fat - unconsumed

5) " ♀ 111 "

6) ♂ 112 " unconsumed

7) ♀ 113 Thin - not too old

(549)

(32)

One small yearling by her - 120-140th
brown pigment by with red alge growth
on ventral surface of body

540 ♀ yearling size - 5 pm

A 78 ♀ yr.

♂ & ♀ yr. - ♀ exceptionally fat - preg.

A 71 ♂ & 90 double tagged ♂

Small type of earling

♂ yr.


♀ very fat preg?

♀ "

♀ with 10 vit & 8 vit around about &

left eye gone - covered with
scar tissue

♀ & ♂ in one group - hunting



Sooty 4 June
903

✓ADP

(25)

✓92198 ✓98436
✓60540 ✓97434
✓95850 ✓95415
✓91010 ✓98448
✓99287 ✓94947
✓97332 ✓97088
✓97282
✓93705
✓98097
✓91769
✓99421
✓95572
✓97547
✓93565
✓92090
✓93965
✓92643
✓91810
✓91747

00357 ✓
16162 ✓
1460 ✓
13765 ✓
01053 ✓
13898 ✓
01653 ✓
04485 ✓
07194 ✓
10077 ✓
11007 ✓
12434 ✓
15733 ✓
09818 ✓
05719 ✓
12360 ✓
03151 ✓
14833 ✓
16651 ✓
03146 ✓
06217 ✓
05199 ✓
16470 ✓
12641 ✓
943 ✓
14428 ✓
13134 ✓
04942 ✓
05698 ✓
19876 ✓
04927 ✓
09920 ✓
03224 ✓
04847 ✓
10830 ✓
16472 ✓
19779 ✓
12470 ✓
07373 ✓
15209 ✓
16090 ✓
18435 ✓
14401 ✓
02022 ✓
03082 ✓
18723 ✓
05895 ✓

753

✓ADP

✓47213 ✓47316
✓47261
✓45213
✓47348
✓46276
✓45731
✓47980
✓45228

943

14571 ✓ 10224 ✓
03333 ✓ 10391 ✓
01536 ✓ 19488 ✓
19931 ✓ 18034 ✓
01781 ✓ 17136 ✓
04724 ✓ 03465 ✓
09646 ✓ 05125 ✓
04547 ✓ 01729 ✓
07118 ✓ 12471 ✓
15084 ✓ 19380 ✓

Sooty Rel

793

✓ADP

81630 ✓
97215 ✓ BIP
80958 ✓
80811 ✓
82184 ✓ rain
89441 ✓ mid
80604 ✓
80751 ✓
823-12153 BPC
11379 ✓
11031 ✓
11927 ✓
07779 ✓ 10291 ✓ 04313 ✓
11154 ✓ 10632 ✓ 19683 ✓
07730 ✓ 06539 ✓ 19036 ✓

ADP
CF - Aug 66

4 June
Sooty Returns

✓ 863 - 23219 - BPC - Red nail
923 - 26436 B/c - Red nail
Red

FF.
E.I.
Aug 66

4 June
4 June

Sooty Returns

903

943 ✓ ADP (15)

96658 ✓

13908 ✓

92412 ✓

19827 ✓

92731 ✓

05115 ✓

90199 ✓

05673 ✓

90207 ✓

16805 ✓

92778 ✓

76846 ✓

96182 ✓

14505 ✓

94892 ✓

12021 ✓

96420 ✓

19093 ✓

96253 ✓

18172 ✓

97634 ✓

16620 ✓

95621 ✓

76390 ✓

94734 ✓

18862 ✓

01366 ✓

02356 ✓

09567 ✓

02274 ✓

19333 ✓

10262 ✓

✓ADP

243

843

81741 ✓
81837 ✓
80295 ✓
80439 ✓

823-11547 ✓

823-11235 ✓

893-07386 ✓

49mm Surt
943 Rel.

24

15016 ✓ 07812 ✓
18592 ✓ 04648 ✓
16959 ✓ 09207 ✓
10360 ✓ 14/03 ✓
11578 ✓ 19221 ✓
16366 ✓
11557 ✓
08511 ✓
05460 ✓
05703 ✓
13019 ✓
05132 ✓
02216 ✓
14875 ✓
05353 ✓
04911 ✓
17125 ✓
08351 ✓
07050 ✓

13

903

Surt Return

4 June

✓ADP

753

93922 ✓
92736 ✓
99537 ✓
96499 ✓
93565 ✓
90265 ✓
90175 ✓
91782 ✓
93848 ✓
91870 ✓
95403 ✓
95407 ✓
98042 ✓

49717 ✓

4 June

Bands issued


✓ 993 - 42001 - 43000 - Sooty band
✓ 705 - 13501 - 600 - ^{partial} first ^{eye}

Wedgetail

705 - 13501 - 478 43 - 600 LT Phoe

542 - PK Phoe

All bands used this date







49mm

753 - 45288

943 - 02791

903 - 97579

793 - 81363

943 - 06868

05928

08619

793 - 81983

943 - 07646

903 - 98888

943 - 04869

903 31084

7530-222-0078
FEDERAL SUPPLY SERVICE

Dave Burchhalter

~~Done~~

June 2 - Burchhalter - ~~My estimate~~ estimate
Lesianshi for the area I traversed

Laysan Albatross ca 1300
Black F-Albatross ca 700 (^{ca.} 50 inland) } chicks
Wedge Tailed Shearwater ca 30,000 \pm 50% ca 15,000 burrows
Christmas Island Shear. 12, 1 on egg
Bonin Island Pet. - 2 dead chicks
Red-Tailed Tropicbird - ca 100 nests / all eggs chicks
Great Frigatebird - 130 nests 60% eggs 10% sm. 15% med 15% ^{lar}
Brown Booby - 2 nests - 1 egg, 2 sm. chicks
Blue-faced Booby - 83 nests 25% eggs 25% sm. 15% med 35% lar
Red-F Booby 229 nests 50% eggs 25% sm. 10% med 15% lar
Sooty Tern - one colony - ca. 200
C.B. Tern - 5 colonies - ca 300
Common Noddy - ca 10,000 \pm 50%
W.C. Noddy - ca 150 nests, ca 500 roosting
Fairy Tern - ca 300 - saw few on eggs

June 2 - Lisianski
arrived ~ 1000

General

Sooty Tern

swirl off shore - ca 50 birds

General

Shrubbirds

20+ ca 40 RT on beach }
5♂+1+2+2 BTC - "pee-o-ree" } arrival
H WT
11+1+1+2 GP - bp

General

CIS - 3 pair by Eapostis
BT saw orange str. figale - SA

Laysan Albatross

BF Albatross

Shearwaters

Red-Tail-Tropicbird
Airplay 135 @ 1400

Sooty Tern

J. B. Tern

C. Noddy

W.C. Noddy

Fairy Tern

G. Frigate

nests -

eggs -

SDC -

MDC -

LDC -

Returns

Red-F. Booby

nests -

eggs -

SDC -

MDC -

LDC -

Returns

Brown Booby

nests -

eggs -

SDC -

MDC -

LDC -

Returns

Blue-F. Booby

✓ADP

nests -

eggs -

SDC -

MDC -

LDC -

Returns

767-41681♀-ch. ✓

767-41569♀-ch. ✓

~~2500
 7600
 795
 600
 15,000~~


50
 20
 20
 10


LA	WTS	GF
10, 10	50	100
20	5	2 (11) + 10
1000	10	3 1 + 10
10 + 100	50	14 11
50	50	L
20, 50	100	
20, 20	50	+ herbs 10-10
20	50	10+ 10 10
100	50	+ 10 + 10
100	50	
50 100	50	


+ herb 10+10
10+ 10+10
+10 +10

trust id

ST	GBT	CN	WEN	FT
	ca 25u/E	ca 25u	ca 25u/E	
	50	u/E	+25	1u/2dc
	100	50	+25	
	100	100	+25	100
		100	+50	
		100		
		100		









7530-222-0078
FEDERAL SUPPLY SERVICE

Memoranda

DL Burchhalter

Liscianski

2-6 gun

DONE

Solanum?

Ipomoea indica
more glory

3 June 1967 Linauski

~~Bands issued:~~

~~#3~~

~~943 - 96501 to 97000~~

~~#4~~

~~705 - 13601 - 13700~~

Returns ST

It rained

we took BFB return

July 1:30

RT Booby
4 June - Lesianski

Eggs - ~~III~~ ~~IIII~~ ~~IIII~~ ~~IIII~~

Naked - ~~III~~ ~~IIII~~ 1

SDC - ~~III~~ ~~IIII~~

MDC - ~~III~~ 1

LDC -

E - ~~III~~ ~~IIII~~ ~~IIII~~

N - ~~III~~

S - ~~IIII~~ ~~IIII~~ ~~IIII~~ ~~IIII~~

M - ~~III~~ ~~II~~

L - ~~III~~ ~~I~~

E Side

1 - ~~III~~

2 - ~~III~~ ~~IIII~~ ~~IIII~~ ~~IIII~~ ~~IIII~~

3 - ~~III~~ ~~III~~ ~~III~~

4 - ~~IIII~~

5

6

W. Side

Nests

Height - II

2 - ~~III~~ ~~IIII~~ 1

3 - ~~III~~ ~~IIII~~ ~~IIII~~ ~~IIII~~ ~~IIII~~

4 - ~~IIII~~

5 - II

6 - I

Location - distance may be from
2' to infinity between nest

Association - ca 4-8 in nest material

Seagulls - basal part w/S - ca 4-5

Tub - rest w/T + some C

Grac.

W. Enc. - Common Nod.

Bur.

Wedge.

RTTB - below

Frigates - nest / roost

nest Materials

[illegible]

Tribulus -1-1-1-1-1-1-1-1-00-1-1-1-1-1-1
1-1-1-1-1-1-1-1-1-1-1-1

Eragrostis - o - o - o - o

Cucurbitus?

W. Cucumber - 1-0-1-1-(-)-1-1-φ-φ-1-(-)-0-1-1
0-0-0-0-0-0-0-0-0-0-1-0-0

lot 8. *Scorvella* dominant base

no 2 W. Care

S - 1-1 - 1-2 - 1-3 - 1-4 - 1-5 - 1-6 - 1-7 - 1-8

~~III~~ ~~II~~ ~~I~~ ~~III~~ ~~II~~ ~~I~~

$\Gamma = \{1-1-7-4-1-1\} \cup \{1-9-1-1-1-1-4-1-1-1-1\}$

~~|||||~~

2-0-0-0-0-0

1. *Phragmites australis* (Cav.) Trin. ex Steud.

Returns : ✓ ADP

~~75~~ 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

1-1-1-1-1 / 50

$1-1-1-1-1-1-1-1-1-1-1-1-1-1$

1-1-1-1-1/50

1-1-1-0-0-0-0-0-0-0-1-0-0-0-0-0

4-0-0-0-0/50

ans. 8

1

Q - letter

B - 12

Shorter
veg

Return
757-28476-1E

52623

28219 IN

27767 KE

27768 12

587-90406 ^{new} IE fr orange st.

G Frigate

here description

31 ~~ST~~ 0, 2ST, 5L, 18, 25C
1SC, 1ST, 1ST, 2ST, 2ST

Height

1 -	
2 -	
3 -	
4 -	

S-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
T-1-1-0-0-0-0-1-1-1-1-1-1-1-1-1-1-1-1
C-1-0-1-0-1-1-0-0-0-0-0-0-1-1-0-0-0-0

S - ~~XXXXXXXXXX~~

~~T - Mammals~~

C. 0000000000000000

Index 1

area of 5 overrun/covering
by 1 Ii.

5. ~~IN IN IN IN~~

T IN NEW

I - more good
in work.

Island

3-OB nests

Join CTS-V

Seal # 522

RFB nest - general

size - 4.6" in depth with much
quartz - old site

So on bottom - top layer is T or C


{ new nest site - thin layer of S, some T
{ occasionally old material below

fresh nest material atop
sharply delineated from previous
nest at same site

Scaevola



nest where?

fleshy leaves cleared back
or absent  forked
out, flat surface left
- provides platform

Red F Booby measurements

Eggs - 11 June

add. 5

W

L

37.3

61.3

42.6

64.8

42.0

59.6

39.2

63.7

38.9

63.4

40.4

67.2

38.9

60.2

39.8

63.8

39.5

62.5

5 June
Mildent measurements
taken by Stahl & Delong
in Delong track #1

add. 5
 GF Egg Measurement

WTS 615-18311

W.	L
49.6	71.6
48.5	74.5
47.3	73.7
47.8	73.4
49.2	71.1
48.8	73.1
45.7	71.0
49.9	75.2
47.3	68.3
48.9	73.0
50.7	69.8

5 June
 Added to measurement
 taken by Schulz & DeLong
 Recorded in DeLong
 book #1

distributed 943-99001 to 100,000
 ✓ADP 705-74001 to 14100 ✓ used
 ST Returns 4 June

903	943	793	753
	04787 ✓	81734 ✓	46536 ✓
	05586 ✓		

albatross bands issued

757-33001 to 33300 5 June

Laysans chicks - this date
Albatross

USED- 757-30301-60

BIB bands issued

757-30301 to 500

1 ?	22 ♂	45 LDC 27879 ?
2 ?	23 ♂	44 ♀
3 ♀	24 ♂	46 ♀
4 ♀	25 IMM	47 ♀
5 ♂	26 LDC w/ 757 48 ♂	48 ♀
6 ♂	27 ♂	49 ♂
7 ♂	28 ♂	50 ♀
8 ♀ w/ 89075	29 SAV	51 ♂
9 ♂ - P1 27876	30 ♂	52 ♀ LDC
10 ♂	31 ♂ 2E	53 LDC
11 ♂	32 LDC w/ 27874	54 ♂
12 LDC w/ 757 89074	33 LDC	55 LDC w/ 41653
13 LDC w/ 89080	34 ♀ w/ 27874	56 LDC
14 IMM.	35 LDC	57 ♀ PLOC
15 ♂	36 ♂	58 LDC
16 ♀	37 ♂ 2E	59 ♀ fishhook ?
17 ♂	38 ♀	60 ♂ 2E
18 ♀	39 ♂	
19 SA	40 ♀ - w/ 402	
20 ♀	41 LDC 27874	
21 ♂	42 ♂ MDC	
	43 ♀ IE	

2 pages
cont

B-faced Booby Returns

5 June

✓ ADP

✓ 757-27813?	✓ 587-8029687	✓ 41668 ♀
✓ 23462 ♀	✓ 80254 ?	✓ 41501 ♂
✓ 89063 ♀	✓ 80293 ♀	✓ 41558 ♀ IE
✓ 89071 ♂	2E	LDC 41548 ♂
✓ 27857 ♂		41368 ♀
✓ 27897 ♀		
✓ 89084 ?		
✓ 27816 ♀		
✓ Nak. { 27818 ♂		
✓ { 27817 ♀		
✓ 89077 ♀	LDC	41685 ♂
LDC { 27819 ♀		
{ 27820 ♂		
✓ 27824 ♂		
✓ SDC { 89075 ♂		
{ pin w/ #8		
✓ 2E { 27876 ♀		
{ pin w/ #9		

25

✓ADP @


✓767-41869 ♂
 ✓767-41672 ♀
 ✓757-82074 ♂ LOC
 ✓757-27822 ♂
 ✓" -89080 ♀
 ✓737-30460 ♀ 2N
 ✓757-89121 ♀
 ✓767-41584 ♂
 ✓757-89089 ♂
 ✓757-89088 ♀
 ✓LOC " -89091 ♂
 ✓587-80245 ♀
 ✓767-41641 ♀
 ✓767-41643 ♂
 ✓757-89096 ♀
 ✓50C " 27841 ♂
 ✓2N 89095 ♀
 ✓757-27844 ♂
 ✓" 89100 ♀
 ✓IE " 27841 ♂
 ✓757-27848 ♂
 ✓767-41682 ♂
 ✓757-27860 ♂
 ✓767-41628 ♀
 ✓" -41642 ♂
 ✓757-27857 ♀
 ✓757-27862 ♀
 ✓" -27863 ♂
 ✓757-27858
 ✓767-41625 ♂
 ✓#46 ♀
 ✓LOC 757-27874 ♂
 ✓IE 757-23103 ♂
 ✓IE 767-41602 ♂
 ✓767-41622 ♀
 ✓757-27880 ♀
 ✓442
 ✓757-27872 ♂
 ✓" -27873 ♀
 ✓/37


✓ADP

757-27846 ♂
 LOC " 27882 ♀
 " 27879 ♂
 HDL " 27935 ♀
 " 27934 ♀
 HDL 767-41618 ♂
 New 767-16119 ?
 757-27859 ♀
 767-41577 ♂
 25027360 ♂
 " 27895 ♂
 " 27898 ♂
 767-41608 ♂
 757-27852 ♀
 ✓767-41572 ♂
 LOC 767-41653 ♂
 SDL " 41590 ♀
 HDL 767-41570 ♂
 #57
 IE 767-41486 ♂
 (" 41566 ♀
 HDL " 41568 ♂
 21
 25
 37
 8/3

6/5-18365 new #36

41
42
43
44
45
46
47
48
49
50









753
FEDERAL SUPPLY SERVICE